

Taking in the Good:

Using Neuroplasticity To Weave Resources Into the Brain and the Self

Auckland, New Zealand

May 14, 2011

Rick Hanson, Ph.D.

The Wellspring Institute for Neuroscience and Contemplative Wisdom

www.WiseBrain.org

www.RickHanson.net

drh@comcast.net

Topics

- **The evolving brain**
- **The negativity bias and threat reactivity**
- **Taking in the good**
- **Healing old pain**




The Evolving Brain

Evolution

- ~ 4+ billion years of earth
- 3.5 billion years of life
- 650 million years of multi-celled organisms
- 600 million years of nervous system
- ~ 200 million years of mammals
- ~ 60 million years of primates
- ~ 6 million years ago: last common ancestor with chimpanzees, our closest relative among the “great apes” (gorillas, orangutans, chimpanzees, bonobos, humans)
- 2.5 million years of tool-making (starting with brains 1/3 our size)
- ~ 150,000 years of *homo sapiens*
- ~ 50,000 years of modern humans
- ~ 5000 years of blue, green, hazel eyes

Evolutionary History



The Triune Brain

Three Stages of Brain Evolution

■ Reptilian:

- Brainstem, cerebellum, hypothalamus
- Reactive and reflexive
- **Avoid** hazards

■ Mammalian:

- Limbic system, cingulate, early cortex
- Memory, emotion, social behavior
- **Approach** rewards

■ Human:

- Massive cerebral cortex
- Abstract thought, language, cooperative planning, empathy
- **Attach** to “us”

Love and the Brain

- Social capabilities have been a primary driver of brain evolution.
- Reptiles and fish avoid and approach. Mammals and birds *attach* as well - especially primates and humans.
- Mammals and birds have bigger brains than reptiles and fish.
- The more social the primate species, the bigger the cortex.
- Since the first hominids began making tools ~ 2.5 million years ago, the brain has roughly tripled in size, much of its build-out devoted to social functions (e.g., cooperative planning, empathy, language). The growing brain needed a longer childhood, which required greater pair bonding and band cohesion.

All sentient beings developed through natural selection in such a way that pleasant sensations serve as their guide, and especially the pleasure derived from sociability and from loving our families.

Charles Darwin


Home Base of the Human Brain

When not threatened, ill, in pain, hungry, upset, or chemically disturbed, most people settle into being:

- **Calm** (the Avoid system)
- **Contented** (the Approach system)
- **Caring** (the Attach system)

This is the brain in its *responsive* mode.

The Responsive Mode



Some Benefits of Responsive Mode

- Recovery from “mobilizations” for survival:
 - Refueling after depleting outpourings
 - Restoring equilibrium to perturbed systems
 - Reinterpreting negative events in a positive frame
 - Reconciling after separations and conflicts
- Promotes prosocial behaviors:
 - Experiencing safety decreases aggression.
 - Experiencing sufficiency decreases envy.
 - Experiencing connection decreases jealousy.
 - We're more generous when our own cup runneth over.

But to Cope with Urgent Needs, We Leave Home . . .

- **Avoid:** When we feel threatened or harmed
- **Approach:** When we can't attain important goals
- **Attach:** When we feel isolated, disconnected, unseen, unappreciated, unloved

This is the brain in its *reactive* mode of functioning
- a kind of inner homelessness.


The Reactive Mode



Reactive Dysfunctions in Each System


- **Approach** - Addiction; over-drinking, -eating, -gambling; compulsion; hoarding; driving for goals at great cost
- **Avoid** - Anxiety disorders; PTSD; panic, terror; rage; violence
- **Attach** - Borderline, narcissistic, antisocial PD; symbiosis; *folie a deux*; “looking for love in all the wrong places”

Choices . . .



Reactive Mode

Or?



Responsive Mode



The Negativity Bias and Threat Reactivity

The urgency of survival needs have made the *reactive* mode very powerful in the rapidity, intensity, and inflexibility of its activations.

Negativity Bias: Causes in Evolution

- “Sticks” - Predators, natural hazards, social aggression, pain (physical and psychological)
- “Carrots” - Food, sex, shelter, social support, pleasure (physical and psychological)
- During evolution, avoiding “sticks” usually had more effects on survival than approaching “carrots.”
 - Urgency - Usually, sticks must be dealt with immediately, while carrots allow a longer approach.
 - Impact - Sticks usually determine mortality, carrots not; if you fail to get a carrot today, you’ll likely have a chance at a carrot tomorrow; but if you fail to avoid a stick today - whap!¹⁸
- no more carrots forever.

Negativity Bias: Physiology and Neuropsychology

- Physiology:
 - Greater bodily arousal to negative stimuli
 - Pain is produced anywhere; pleasure is circumscribed.
- Neuropsychology:
 - Separate, low-level systems for negative and positive stimuli
 - Right hemisphere specialized for negative stimuli
 - Greater brainwave responses to negative stimuli
 - ~ 65% of amygdala sifts for negative stimuli
 - The amygdala-hippocampus system flags negative experiences prominently in memory: *like Velcro for negative experiences but Teflon for positive ones.*
 - More negative “basic” emotions than positive ones

Negativity Bias: Some Consequences

- Negative stimuli get more attention and processing.
- We generally learn faster from pain than pleasure.
- People work harder to avoid a loss than attain an equal gain (“endowment effect”)
- Easy to create learned helplessness, hard to undo
- Negative interactions: more powerful than positive
- Negative experiences sift into implicit memory.

Health Consequences of Chronic Stress

■ Physical:

- Weakened immune system
- Inhibits GI system; reduced nutrient absorption
- Reduced, dysregulated reproductive hormones
- Increased vulnerabilities in cardiovascular system
- Disturbed nervous system

■ Mental:

- Lowers mood; increases pessimism
- Increases anxiety and irritability
- Increases learned helplessness (especially if no escape)
- Often reduces approach behaviors (less for women)
- Primes aversion (SNS-HPAA negativity bias)

A Major Result of the Negativity Bias: Threat Reactivity

- Two mistakes:
 - Thinking there is a tiger in the bushes when there isn't one.
 - Thinking there is no tiger in the bushes when there is one.
- We evolved to make the first mistake a hundred times to avoid making the second mistake even once.
- This evolutionary tendency is intensified by temperament, personal history, culture, and politics.
- Threat reactivity affects individuals, couples, families, organizations, nations, and the world as a whole.

Results of Threat Reactivity (Personal, Organizational, National)

- Our initial appraisals are mistaken:
 - Overestimating threats
 - Underestimating opportunities
 - Underestimating inner and outer resources
- We update these appraisals with information that confirms them; we ignore, devalue, or alter information that doesn't.
- Thus we end up with views of ourselves, others, and the world that are ignorant, selective, and distorted. 23

Costs of Threat Reactivity

(Personal, Organizational, National)

- Feeling threatened feels bad, and triggers stress consequences.
- We over-invest in threat protection.
- The boy who cried tiger: flooding with paper tigers makes it harder to see the real ones.
- Acting while feeling threatened leads to over-reactions, makes others feel threatened, and creates vicious cycles.
- The Approach system is inhibited, so we don't pursue opportunities, play small, or give up too soon.
- In the Attach system, we bond tighter to "us," with more fear and anger toward "them."


Negative Experiences Can Have Benefits

- There's a place for negative emotions:
 - Anxiety alerts us to inner and outer threats
 - Sorrow opens the heart
 - Remorse helps us steer a virtuous course
 - Anger highlights mistreatment; energizes to handle it
- Negative experiences can:
 - Increase tolerance for stress, emotional pain
 - Build grit, resilience, confidence
 - Increase compassion and tolerance for others

But is there really any shortage of negative experiences?

One Neural Consequence of Negative Experiences

- Amygdala (“alarm bell”) initiates stress response
- Hippocampus:
 - Forms and retrieves contextual memories
 - Inhibits the amygdala
 - Inhibits cortisol production
- Cortisol:
 - Stimulates and sensitizes the amygdala
 - Inhibits and can shrink the hippocampus
- Consequently, chronic negative experiences:
 - Sensitize the amygdala alarm bell
 - Weaken the hippocampus: this reduces memory capacities and the inhibition of amygdala and cortisol production.
 - Thus creating vicious cycles in the NS, behavior, and mind



One Neural Consequence of Negative Experiences

- Amygdala (“alarm bell”) initiates stress response
- Hippocampus:
 - Forms and retrieves contextual memories
 - Inhibits the amygdala
 - Inhibits cortisol production
- Cortisol:
 - Stimulates and sensitizes the amygdala
 - Inhibits and can shrink the hippocampus
- Consequently, chronic negative experiences:
 - Sensitize the amygdala alarm bell
 - Weaken the hippocampus: this reduces memory capacities and the inhibition of amygdala and cortisol production.
 - Thus creating vicious cycles in the NS, behavior, and mind

A Poignant Truth


Mother Nature is tilted toward producing gene copies.

But tilted against personal quality of life.

And at the societal level, we have caveman/cavewoman brains armed with nuclear weapons.

What shall we do?

*We can deliberately use the mind
to change the brain for the better.*



Taking in the Good

The Importance of Inner Resources

- Examples:
 - Freud's "positive introjects"
 - Internalization of "corrective emotional experiences" during psychotherapy
 - "Learned optimism"

- Benefits
 - Increase positive emotions: many physical and mental health benefits
 - Improve self-soothing
 - Improve outlook on world, self, and future
 - Increase resilience, determination

Just having positive experiences is not enough.

They pass through the brain like water through a sieve, while negative experiences are caught.

We need to engage positive experiences actively to weave them into the brain.

How to Take in the Good

1. Look for positive **facts**, and let them become positive experiences.
2. Savor the positive experience:
 - Sustain it for 10-20-30 seconds.
 - Feel it in your body and emotions.
 - Intensify it.
3. Sense and intend that the positive experience is soaking into your brain and body - registering deeply in emotional memory.

Targets of TIG

- Bodily states - healthy arousal; PNS; vitality
- Emotions - both feelings and mood
- Views - expectations; object relations; perspectives on self, world, past and future
- Behaviors - repertoire; inclinations

Kinds of “Good” to Take in

- The small pleasures of ordinary life
- The satisfaction of attaining goals or recognizing accomplishments - especially small, everyday ones
- Feeling grateful, contented, and fulfilled

- Being included, valued, liked, respected, loved by others
- The good feelings that come from being kind, fair, generous
- Feeling loving

- Things are alright; nothing is wrong; there is no threat
- Feeling safe and strong
- The peace and relief of forgiveness

- Recognizing your positive character traits
- Spiritual or existential realizations

Why It's Good to Take in the Good

- In general, adds positive contents to implicit memory
- Internalizes psychological growth (e.g., it usually feels good and goes well to speak from my heart)
- Associates rewards to good steps; boosts motivation
- Brings in missing “supplies” (e.g., love, worth) to help remedy deficits and heal painful experiences
- Encourages prosocial experiences and actions

Benefits of Positive Emotions


- The benefits of positive emotions are a proxy for many of the benefits of TIG.
- Emotions organize the brain as a whole, so positive ones have far-reaching benefits, including:
 - Promote exploratory, “approach” behaviors
 - Lift mood; increase optimism, resilience
 - Counteract trauma
 - Strengthen immune and protect cardiovascular systems
 - Overall: “broaden and build”
 - Create positive cycles

TIG and Children

- All kids benefit from TIG.
- Particular benefits for mistreated, anxious, spirited/ADHD, or LD children.
- Adaptations:
 - Brief
 - Concrete
 - Natural occasions (e.g., bedtimes)

Potential Synergies of TIG and MBSR

- Improved mindfulness from MBSR enhances TIG.
- TIG increases general resources for MBSR (e.g., heighten the PNS activation that promotes stable attention).
- TIG increases specific factors of MBSR (e.g., self-acceptance, self-compassion, tolerance of negative affect)
- TIG heightens internalization of key MBSR experiences:
 - The sense of stable mindfulness itself
 - Confidence that awareness itself is not in pain, upset, etc.
 - Presence of supportive others (e.g., MBSR groups)
 - Peacefulness of realizing that experiences come and go



Healing Old Pain

Using Memory Mechanisms to Help Heal Painful Experiences

- The machinery of memory:
 - When explicit or implicit memory is re-activated, it is re-built from schematic elements, not retrieved *in toto*.
 - When attention moves on, elements of the memory get re-consolidated.
- The open processes of memory activation and consolidation create a window of opportunity for shaping your internal world.
- Activated memory tends to associate with other things in awareness (e.g., thoughts, sensations), esp. if they are prominent and lasting.
- When memory goes back into storage, it takes associations with it.
- You can imbue implicit and explicit memory with positive associations.

The Fourth Step of TIG

- When you are having a positive experience:
 - Sense the current positive experience sinking down into old pain, and soothing and replacing it.
- When you are having a negative experience:
 - Bring to mind a positive experience that is its antidote.
- In both cases, have the positive experience be big and strong, in the forefront of awareness, while the negative experience is small and in the background.
- You are not resisting negative experiences or getting attached to positive ones. You are being kind to yourself and cultivating positive resources in your mind.

Psychological Antidotes

Approaching Opportunities

- Satisfaction, fulfillment --> Frustration, disappointment
- Gladness, gratitude --> Sadness, discontentment, “blues”

Attaching to “Us”

- Attunement, inclusion --> Not seen, rejected, left out
- Recognition, acknowledgement --> Inadequacy, shame
- Friendship, love --> Abandonment, feeling unloved or unlovable

Avoiding Threats

- Strength, efficacy --> Weakness, helplessness, pessimism
- Safety, security --> Alarm, anxiety
- Compassion for oneself and others --> Resentment, anger

Coming Home . . .

Gladness

Love

Peace

TIG and Trauma

- General considerations:
 - People vary in their resources and their traumas.
 - Often the major action is with “failed protectors.”
 - Cautions for awareness of internal states, including positive
 - Respect “yellow lights” and the client’s pace.
- The first three steps of TIG are generally safe. Use them to build resources for tackling the trauma directly.
- As indicated, use the fourth step of TIG to address the peripheral features and themes of the trauma.
- Then, with care, use the fourth step to get at the heart of the trauma.

First of all, do no harm.

Promoting Client Motivation

- During therapy, but mainly between sessions, notice:
 - When learning from therapy works well
 - New insights
 - When things happen consistent with therapist's realistic view of you, the world, the future
 - Good qualities in yourself emphasized by therapist
- Then practice three, sometimes four, steps of TIG.
- Can be formalized in daily reflections, journaling
- In general: take appropriate risks of “dreaded experiences,” notice the (usually) good results, and then take those in.

*If one going down into a river,
swollen and swiftly flowing,
is carried away by the current --
how can one help others across?*

The Buddha

Great Books

See www.RickHanson.net for other great books.

- Austin, J. 2009. *Selfless Insight*. MIT Press.
- Begley, S. 2007. *Train Your Mind, Change Your Brain*. Ballantine.
- Carter, C. 2010. *Raising Happiness*. Ballantine.
- Hanson, R. (with R. Mendius). 2009. *Buddha's Brain: The Practical Neuroscience of Happiness, Love, and Wisdom*. New Harbinger.
- Johnson, S. 2005. *Mind Wide Open*. Scribner.
- Keltner, D. 2009. *Born to Be Good*. Norton.
- Kornfield, J. 2009. *The Wise Heart*. Bantam.
- LeDoux, J. 2003. *Synaptic Self*. Penguin.
- Linden, D. 2008. *The Accidental Mind*. Belknap.
- Sapolsky, R. 2004. *Why Zebras Don't Get Ulcers*. Holt.
- Siegel, D. 2007. *The Mindful Brain*. Norton.
- Thompson, E. 2007. *Mind in Life*. Belknap.

Key Papers - 1

See www.RickHanson.net for other scientific papers.

- Atmanspacher, H. & Graben, P. 2007. Contextual emergence of mental states from neurodynamics. *Chaos & Complexity Letters*, 2:151-168.
- Baumeister, R., Bratlavsky, E., Finkenauer, C. & Vohs, K. 2001. Bad is stronger than good. *Review of General Psychology*, 5:323-370.
- Braver, T. & Cohen, J. 2000. On the control of control: The role of dopamine in regulating prefrontal function and working memory; in *Control of Cognitive Processes: Attention and Performance XVIII*. Monsel, S. & Driver, J. (eds.). MIT Press.
- Carter, O.L., Callistemon, C., Ungerer, Y., Liu, G.B., & Pettigrew, J.D. 2005. Meditation skills of Buddhist monks yield clues to brain's regulation of attention. *Current Biology*. 15:412-413.

Key Papers - 2

- Davidson, R.J. 2004. Well-being and affective style: neural substrates and biobehavioural correlates. *Philosophical Transactions of the Royal Society*. 359:1395-1411.
- Farb, N.A.S., Segal, Z.V., Mayberg, H., Bean, J., McKeon, D., Fatima, Z., and Anderson, A.K. 2007. Attending to the present: Mindfulness meditation reveals distinct neural modes of self-reflection. *SCAN*, 2, 313-322.
- Gillihan, S.J. & Farah, M.J. 2005. Is self special? A critical review of evidence from experimental psychology and cognitive neuroscience. *Psychological Bulletin*, 131:76-97.
- Hagmann, P., Cammoun, L., Gigandet, X., Meuli, R., Honey, C.J., Wedeen, V.J., & Sporns, O. 2008. Mapping the structural core of human cerebral cortex. *PLoS Biology*. 6:1479-1493.
- Hanson, R. 2008. Seven facts about the brain that incline the mind to joy. In *Measuring the immeasurable: The scientific case for spirituality*. Sounds True. 51

Key Papers - 3

- Lazar, S., Kerr, C., Wasserman, R., Gray, J., Greve, D., Treadway, M., McGarvey, M., Quinn, B., Dusek, J., Benson, H., Rauch, S., Moore, C., & Fischl, B. 2005. Meditation experience is associated with increased cortical thickness. *Neuroreport*. 16:1893-1897.
- Lewis, M.D. & Todd, R.M. 2007. The self-regulating brain: Cortical-subcortical feedback and the development of intelligent action. *Cognitive Development*, 22:406-430.
- Lieberman, M.D. & Eisenberger, N.I. 2009. Pains and pleasures of social life. *Science*. 323:890-891.
- Lutz, A., Greischar, L., Rawlings, N., Ricard, M. and Davidson, R. 2004. Long-term meditators self-induce high-amplitude gamma synchrony during mental practice. *PNAS*. 101:16369-16373.
- Lutz, A., Slager, H.A., Dunne, J.D., & Davidson, R. J. 2008. Attention regulation and monitoring in meditation. *Trends in Cognitive Sciences*. 12:163-169.

Key Papers - 4

- Rozin, P. & Royzman, E.B. 2001. Negativity bias, negativity dominance, and contagion. *Personality and Social Psychology Review*, 5:296-320.
- Takahashi, H., Kato, M., Matsuura, M., Mobbs, D., Suhara, T., & Okubo, Y. 2009. When your gain is my pain and your pain is my gain: Neural correlates of envy and schadenfreude. *Science*, 323:937-939.
- Tang, Y.-Y., Ma, Y., Wang, J., Fan, Y., Feng, S., Lu, Q., Yu, Q., Sui, D., Rothbart, M.K., Fan, M., & Posner, M. 2007. Short-term meditation training improves attention and self-regulation. *PNAS*, 104:17152-17156.
- Thompson, E. & Varela F.J. 2001. Radical embodiment: Neural dynamics and consciousness. *Trends in Cognitive Sciences*, 5:418-425.
- Walsh, R. & Shapiro, S. L. 2006. The meeting of meditative disciplines and Western psychology: A mutually enriching dialogue. *American Psychologist*, 61:227-239.


Where to Find Rick Hanson Online



<http://www.youtube.com/BuddhasBrain>



<http://www.facebook.com/BuddhasBrain>



Buddha's Brain: The Practical
Neuroscience of Happiness, Love
and Wisdom
Available at Amazon

www.RickHanson.net

www.WiseBrain.org